




# Reverse Circulation Drill Rods

just exeptional.



# REVERSE CIRCULATION FRICTION WELDING FULL OD



| CODE                   | OD<br>(mm) | ODte<br>(mm) | wte<br>(mm) | ODti<br>(mm) | wti<br>(mm) | ID<br>(mm) | Thread       | Length<br>(mm)            |
|------------------------|------------|--------------|-------------|--------------|-------------|------------|--------------|---------------------------|
| RCOF9063T89A(____)NR01 | 90         | 88.9         | 6.3         | 48.3         | 6.45        | 35         | T89A         | 1000 / 1500 / 3000 / 6000 |
| RCOFA263T400(____)NR01 | 102        | 101.6        | 6.3         | 60.3         | 6.3         | 46         | REMET 4"     | 1000 / 1500 / 3000 / 6000 |
| RCOFB463TB4A(____)NR01 | 115        | 114.3        | 6.3         | 66.7         | 7.5         | 52         | TB4A         | 1000 / 1500 / 3000 / 6000 |
| RCOFC763T412(____)NR01 | 128        | 127.1        | 6.3         | 70           | 6.3         | 57         | REMET 4 1/2  | 1000 / 1500 / 3000 / 6000 |
| RCOFE063400I(____)NR01 | 140        | 139.7        | 6.3         | 76.1         | 6.3         | 63         | 4 IF SH.     | 1000 / 1500 / 3000 / 6000 |
| RCOFF290412I(____)NR01 | 153        | 152.4        | 9           | 88.9         | 6.3         | 76         | 4 1/2 IF SH. | 2000 / 3000 / 4000 / 6000 |
| RCOFI088512I(____)NR01 | 180        | 177.8        | 8.8         | 114.3        | 6.3         | 102        | 5 1/2 IF SH. | 2000 / 3000 / 4000 / 6000 |
| RCOFL388658F(____)NR01 | 203        | 203.1        | 8.8         | 127.1        | 6.3         | 114        | 6 5/8 FH SH. | 2000 / 3000 / 4000 / 6000 |





**COLLI DRILL**

---

Viale della Meccanica 1  
02032 Fara in Sabina, Rieti, Italy  
business@collidrill.it  
collidrill.it